




2015-2016 Influenza Report Week 44

November 1 – November 7, 2015

About our flu activity reporting

MSDH relies upon selected sentinel health practitioners across the state to report the percentage of total patient visits consistent with an influenza-like illness (ILI: fever of 100°F or higher AND cough and/or sore throat). Also, providers are supplied with specimen collection kits. Samples are submitted to the Mississippi Public Health Laboratory for influenza PCR testing. Reports are used to estimate the state’s ILI rate and the magnitude of the state’s influenza activity. Reports represent only the distribution of flu in the state, not an actual count of all flu cases statewide. **Information is provisional only and may change depending on additional reporting from sentinel providers.**

State ILI Surveillance



During week **44** (11/01/15-11/07/15), the overall state ILI rate (**2.3%**) was **comparable** to the previous week (**2.5%**), and to this time last year (**2.4%**).

| [Figure 1](#)



Total number of patients treated by sentinel providers in the last three weeks. | **Table 1**

2015-2016 Influenza Season

CDC Week	Week Ending	Total patients	ILI symptoms	ILI Rate (%)
44	Nov. 07	20,754	471	2.3%
43	Oct. 31	19,153	481	2.5%
42	Oct. 24	19,577	513	2.6%

During week **44**, **four** districts (2, 3, 6, and 8) had a decrease, while the remaining **five** districts (1, 4, 5, 7, and 9) remained about the same. *Information is provisional only and may change depending on additional reporting from sentinel providers.* | **Table 2**

MSDH District ILI Rates (%) 2015-2016		
District	Week 43	Week 44
State	2.5	2.3
I	1.4	1.8
II	4.7	3.6
III	4.5	2.6
IV	2.3	1.9
V	1.8	2.2
VI	5.4	2.8
VII	1.9	2.1
VIII	1.9	1.1
IX	3.2	3.2




Overall, the percentage of reported ILI cases has been highest among those in the **5-24 years** of age group. However, during week **44**, the


percentage of cases was comparable among those in the **0-4 years** and **5-24 years** of age groups. |

Figure 2

The 2015-16 state ILI rate was **above** the Region 4 baseline, **below** the state baseline, but was **comparable** to the national baseline for week 44. | [Figure 3](#)



Mississippi ILI Rates 2012-2015 | [Figure 4](#)



Flu Testing Reports

During week **44** (week ending November 7th), there were no laboratory confirmed influenza cases identified by MSDH Public Health Laboratory.

National and Mississippi Pediatric Mortality Surveillance

Nationally, **no** influenza-associated pediatric deaths were reported to CDC during week **44**.

Mississippi has had **no** influenza-associated pediatric deaths reported during this influenza season. For additional information on influenza-associated pediatric deaths, please refer to the [CDC's FluView](#).


National ILI Surveillance

For week **44**, the MS ILI rate (2.3%) was **above** the national ILI rate (1.4%).

Mississippi reported "**No Activity**" flu activity for week **44**. | **Table 3**

Level of Flu Activity	Definition
No Activity	Overall clinical activity remains low and there are no lab confirmed cases.
Sporadic	Isolated cases of lab confirmed influenza in the state; ILI activity is not increased <u>OR</u> A lab-confirmed outbreak in a single institution in the state; ILI activity is not increased.
Local	Increased ILI within a single region AND recent (within the past 3 weeks) laboratory evidence of influenza in that region. ILI activity in other regions is not increased <u>OR</u> two of more institutional outbreaks (ILI or lab confirmed) within a single region AND recent (within the past 3 weeks) lab confirmed influenza in that region. Other regions do not have increased ILI and virus activity is no greater than sporadic in those regions
Regional	Increased ILI in at least 2 regions but fewer than half of the regions AND recent (within the past 3 weeks) lab confirmed influenza in the affected regions <u>OR</u> Institutional outbreaks (ILI or lab confirmed) in at least 2 regions but fewer than half of the regions AND recent lab confirmed influenza in the affected regions.
Widespread	Increased ILI and/or institutional outbreaks (ILI or lab confirmed) in at least half of the regions AND recent (within the past 3 weeks) lab confirmed influenza in the state.

During week **44**, influenza activity was **low** in the United States.¹ | [Figure 5](#)



¹For up-to-date information on flu activity nationwide, please refer to the CDC's website:
<http://www.cdc.gov/flu/weekly/fluactivitysurv.htm>.

Additional information:

Centers for Disease Control and Prevention	http://cdc.gov/flu/
Centers for Disease Control and Prevention FluView	http://www.cdc.gov/flu/weekly/
Flu.gov	http://www.flu.gov/
MSDH Flu and Pneumonia	http://msdh.ms.gov/msdhsite/ static/14,0,199.html
World Health Organization FluNet	http://www.who.int/influenza/gisrs_laboratory/flunet/en/

Appendix

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5

